

Summary of Specialty Steel AD & CVD Orders In Effect

as of December 19, 2023

John Herrmann
Grace W. Kim
Specialty Steel Industry of North America
(202) 342-8488

Case Name	Date of Original Order	Current Country/Dumping Margins	Commerce Product Description	Tariff No. ¹
Stainless Steel Plate in Coils	05/11/99 (CVD)		Articles of stainless steel plate; flat-rolled, 254 mm or over in width and 4.75 mm or more in thickness, in coils and annealed or otherwise heat treated and pickled or otherwise descaled. Subject plate may also be further processed (e.g., cold-rolled, polished, etc.) provided that it maintains the specified dimensions of plate following such processing. Excluded from the scope are (1) plate not in coils; (2) plate that is not annealed or otherwise heat treated and pickled or otherwise descaled; (3) sheet and strip; (4) flat bars; and (5) plate with an actual thickness of less than 4.75 mm, regardless of its nominal thickness.	7219.11.00.30
	05/21/99 (AD)	Belgium (A-423-808) Aperam (formerly ArcelorMittal Stainless)		7219.11.00.60
		Belgium (AD) = 1.47%		7219.12.00.06
		All Others (AD) = 8.54%		7219.12.00.21
		South Africa (A-791-805 & C-791-806)		7219.12.00.26
	Canada AD Order (A-122-830) Revoked Effective 5/21/04	Columbus (AD) = 37.77%		7219.12.00.51
		All Others (AD) = 37.77%		7219.12.00.56
	Italy CVD Order (C-475-823) Revoked Effective 9/4/98	Columbus (CVD) = 3.95%		7219.12.00.66
		All Others (CVD) = 3.95%		7219.12.00.71
	Belgium CVD Order (C-423-809) Revoked Effective 7/18/10	Taiwan (A-583-830)		7219.12.00.81
		YUSCO (AD) = 8.02%		7219.31.00.10
		YUSCO/Ta Chen (AD) = 10.20%		7219.90.00.10
		All Others (AD) = 7.39%		7219.90.00.20
	Italy AD Order (A-475-822) Revoked Effective 7/18/10			7219.90.00.25
				7219.90.00.60
	South Korea (A-580-831) Revoked Effective 11/16/11			7219.90.00.80
				7220.11.00.00
		7220.20.10.10		
		7220.20.10.15		
		7220.20.10.60		
		7220.20.10.80		
		7220.20.60.05		
		7220.20.60.10		
		7220.20.60.15		
		7220.20.60.60		
		7220.20.60.80		
		7220.90.00.10		
		7220.90.00.15		
		7220.90.00.60		
		7220.90.00.80		

Case Name	Date of Original Order	Current Country/Dumping Margins	Commerce Product Description	Tariff No. ¹
Stainless Steel Wire Rod	09/15/98 Italy CVD Order (C-475-821) Revoked Effective 9/15/03 Sweden AD Order (A-469-807) Revoked Effective 4/23/07 Italy AD Order (A-475-820) Revoked Effective 6/17/15 Spain AD Order (A-469-807) Revoked Effective 6/17/15	Japan (A-588-843) Hitachi = 0% Daido Steel = 34.21% Nippon Steel = 21.18% Sanyo Special = 34.21% Sumitomo Electric = 34.21% All Others = 25.26% Korea (A-580-829) Dongbang/Changwon/POSCO = 28.44% Sammi Steel = 28.44% All Others = 5.77% Taiwan (A-583-828) Walsin = 4.75% Yieh Hsing = Excluded All Others = 8.29%	<p>Certain stainless steel wire rods are products that are hot-rolled or hot-rolled annealed and/or pickled and/or descaled rounds, squares, octagons, hexagons, or other shapes, in coils, that may also be coated with a lubricant containing copper, lime or oxalate. SSWR is made of alloy steels containing, by weight, 1.2% or less of carbon and 10.5% or more of chromium, with or without other elements. These products are manufactured only by hot-rolling or hot-rolling, annealing, and/or pickling and/or descaling, are normally sold in coiled form, and are of solid cross-section. The majority of SSWR sold in the United States is round in cross-sectional shape, annealed and pickled, and later cold-finished into stainless steel wire or small-diameter bar.</p> <p>The most common size for such products is 5.5 mm or 0.217 inches in diameter, which represents the smallest size that normally is produced on a rolling mill and is the size that most wire-drawing machines are set up to draw. The range of SSWR sizes normally sold in the United States is between 0.20 inches and 1.312 inches diameter.</p> <p>Two stainless steel grades, SF20T and K-M35FL, are excluded from the scope of the orders. The chemical makeup for the excluded grades is as follows: SF20T (Carbon – 0.05 max; Chromium – 19.00/21.00; Manganese – 2.00 max; Molybdenum – 1.50/2.50; Phosphorous – 0.05 max; Lead-added (0.10/0.30); Sulfur – 0.15 max; Tellurium-added (0.03 min); Silicon-1.00 max) and K-M35FL (Carbon – 0.015 max; Nickel – 0.30 max; Silicon – 0.70/1.00; Chromium – 12.50/14.00; Manganese – 0.40 max; Lead – 0.10/0.30; Phosphorous – 0.04 max; Aluminum – 0.20/0.35; Sulfur – 0.03 max.)</p>	7221.00.00.05 7221.00.00.17 7221.00.00.18 7221.00.00.30 7221.00.00.45 7221.00.00.75

Case Name	Date of Original Order	Current Country/Dumping Margins	Commerce Product Description	Tariff No. ¹
Stainless Steel Wire Rod	12/01/93 (India) 01/28/94 (France) 01/28/94 (Brazil) France AD Order (A-427-811) Revoked Effective 8/2/05 Brazil AD Order (A-351-819) Revoked Effective 8/2/05	India (A-533-808) Mukand = 11.56% Sunstar Metals = 48.80% Grand Foundry = 48.80% Viraj = Revoked (eff. 12/1/03) Panchmahal = 48.80% India Steel (formerly Isibars) / Zenstar Impex / Shaktiman Steel = 30.10% Chandan Steel = 2.10% Sunflag Iron & Steel = 48.80% All Others = 48.80%	Certain stainless steel wire rods are products that are hot-rolled or hot-rolled annealed, and/or pickled rounds, squares, octagons, hexagons, or other shapes, in coils. Stainless steel wire rods are made of alloy steels containing, by weight, 1.2% or less of carbon and 10.5% or more of chromium, with or without other elements. These products are only manufactured by hot-rolling and are normally sold in coiled form, and are of solid cross-section. The majority of wire rod sold in the United States are round in cross-section shape, annealed, and pickled. The most common size is 5.5 millimeters in diameter.	7221.00.00.05 7221.00.00.17 7221.00.00.18 7221.00.00.30 7221.00.00.45 7221.00.00.75

Case Name	Date of Original Order	Current Country/Dumping Margins	Commerce Product Description	Tariff No. ¹
Stainless Steel Sheet & Strip in Coils	08/06/99(CVD Orders)	Japan (A-588-845) Kawasaki Steel / JFE (AD) = 57.87% Nippon Steel (AD) = 57.87% Nisshin Steel (AD) = 57.87% Nippon Yakin (AD) = 57.87% Nippon Metal (AD) = 57.87% Hitachi Metals (Hitachi Cable) (AD)= 0 % Nippon Kinzoku (AD) = 0.00% All Others (AD) = 40.18%	Articles of stainless steel sheet and strip; flat-rolled product in coils that is greater than 9.5 mm in width and less than 4.75 mm in thickness, that is annealed or otherwise heat treated and pickled or otherwise descaled. Subject sheet and strip may also be further processed (cold-rolled, polished, aluminized, coated, etc.) provided that it maintains the specific dimensions of sheet and strip following such processing. Excluded from the scope are (1) sheet and strip that is cut to length; (2) sheet and strip that is not annealed or otherwise heat treated and pickled or otherwise descaled; (3) plate (i.e., flat-rolled stainless steel products of a thickness of 4.75 mm or more); (4) flat wire (i.e., cold-rolled sections, with a prepared edge, rectangular in shape, of a width of not more than 9.5 mm); (5) razor blade steel; (6) flapper valve steel; (7) suspension foil; (8) certain stainless steel foil for automotive catalytic converters; (9) permanent magnet iron-chromium cobalt alloy stainless strip (e.g., Arnokrome III); (10) certain electrical resistance alloy steel, (e.g., Gilphy 36); (11) certain martensitic precipitation-hardenable stainless steel (e.g., Durphynox); and (12) three specialty stainless steels typically used in certain industrial blades and surgical and medical instruments (e.g., carpet knives, GIN4 Mo., GIN5, and GIN6). Also excluded from Japan AD order are stainless steel welding electrode strips that are manufactured in accordance with American Welding Society (AWS) specifications ANSIIAWS A5.9-83; certain stainless steel used for razor blades, medical, surgical blades, and industrial blades that are sold under proprietary names such as DSRIK7, DSRIKA, and DSRIK9; certain stainless steel lithographic sheet that is made of 304-grade stainless steel; and certain nickel clad stainless steel sheet.	7219.13.00.31 7219.13.00.51 7219.13.00.71 7219.13.00.81 7219.14.00.30 7219.14.00.65 7219.14.00.90 7219.32.00.05 7219.32.00.20 7219.32.00.25 7219.32.00.35 7219.32.00.36 7219.32.00.38 7219.32.00.42 7219.32.00.44 7219.33.00.05 7219.33.00.20 7219.33.00.25 7219.33.00.35 7219.33.00.36 7219.33.00.38 7219.33.00.42 7219.33.00.44 7219.34.00.05 7219.34.00.20 7219.34.00.25 7219.34.00.30 7219.34.00.35 7219.35.00.05 7219.35.00.15 7219.35.00.30 7219.35.00.35 7219.90.00.10 7219.90.00.20 7219.90.00.25 7219.90.00.60 7219.90.00.80 7220.12.10.00 7220.12.50.00 7220.20.10.10 7220.20.10.15 7220.20.10.60
	07/27/99 (AD Orders)			
	Italy CVD Order (C-475-825) Revoked Effective 3/28/06	South Korea (A-580-834 & C-580-835) POSCO (AD) = Excluded (eff 11/16/11)		
	France CVD Order (C-427-815) Revoked Effective 11/7/03.	Hyundai Steel (AD) = Excluded Taihan Electric (AD) = 58.79% Samwon = 7.88% Dai Yang (AD) = 3.77% Boorim Corp. = 58.79% Dae Kyung Corp. = 58.79% Dine Trading Co. = 58.79% Dosko Co. = 58.79% All Others (AD) (including Hyundai BNG) = 19.60%		
	French AD Order (A-427-814) Revoked Effective 7/27/04	POSCO (CVD) = Excluded Hyundai Steel/BNG (CVD) = 0.54% Dai Yang (CVD) = 0.03% (de minimis) Taihan Electric (CVD) = 7.0% All Others (CVD) = 1.68%		
	UK AD Order (A-412-818) Revoked Effective 7/27/04			
	Germany AD Order (A-428-825) Revoked Effective 7/25/10			
	Italy AD Order (A-475-824) Revoked Effective 7/25/10			
	Mexico AD Order (A-201-822) Revoked Effective 7/25/10			

Case Name	Date of Original Order	Current Country/Dumping Margins	Commerce Product Description	Tariff No. ¹
Stainless Steel Sheet & Strip in Coils (...continued)		Taiwan (A-583-831) Chain Chon Industrial Co. = 4.30% Chang Mien = Excluded Chia Far = 0.00% Chien Shing Stainless Steel = 4.30% Dah Shi Metal Industrial Co. = 4.30% Goang Jau Shing = 4.30% KNS Enterprise Co., Ltd = 4.30% Lih Chan Steel Co. = 4.30% Maytun International Corp. = 4.30% PFP Taiwan = 4.30% Shih Yuan Stainless Steel = 4.30% Ta Chen Stainless Pipe = 4.30% Tang Eng Iron Works = 4.30% Tibest International Inc. = 4.30% Tung Mung = Excluded Tung Mung/Ta Chen = 4.30% Waterson Corp. = 4.30% Yieh Loong Enterprise (aka Chung Hung Steel Co.) = 4.30% Yieh Mau Corp. = 4.30% Yieh Trading Corp. = 4.30% Yieh Trading Corp./Yieh Corp = 21.10% YUSCO = 4.30% YUSCO/Ta Chen = 36.44% All Others = 12.61%		7220.20.10.80 7220.20.60.05 7220.20.60.10 7220.20.60.15 7220.20.60.60 7220.20.60.80 7220.20.70.05 7220.20.70.10 7220.20.70.15 7220.20.70.60 7220.20.70.80 7220.20.80.00 7220.20.90.30 7220.20.90.60 7220.90.00.10 7220.90.00.15 7220.90.00.60 7220.90.00.80

Case Name	Date of Original Order	Current Country/Dumping Margins	Commerce Product Description	Tariff No. ¹
Stainless Steel Sheet & Strip	4/3/17	<p>China (A-570-042 and C-570-043):</p> <p>Taihyuan Ridetaixing (AD) = 63.86% (45.26% cash deposit rate) Zhangjiagang Pohang (AD) = 63.86% (45.26% cash deposit rate) PRC-Wide (AD) = 76.64% (58.04% cash deposit rate)</p> <p>Shanxi Taigang (CVD) = 75.60% Ningbo Baoxin (CVD) = 190.71% Baosteel Stainless (CVD) = 190.71% Baoshan Iron & Steel (CVD) = 190.71% Baosteel Desheng (CVD) = 190.71% Baosteel Co. (CVD) = 190.71% Bayi Iron & Steel (CVD) = 190.71% Ningbo Iron & Steel (CVD) = 190.71% Shaoguan Iron & Steel (CVD)=190.71% Guangdong Shaoguan (CVD)=190.71% Zhanjiang Iron & Steel (CVD)=190.71% Daming International / Tianjin Taigang Daming Metal Product (CVD)=190.71% All Others (CVD) = 75.60%</p>	<p>Stainless steel sheet and strip (“SSSS”), whether in coils or straight lengths; flat-rolled product with a width that is greater than 9.5 mm and with a thickness of 0.3048 mm and greater but less than 4.75 mm and annealed or otherwise heat treated, pickled or otherwise descaled. Subject SSSS may also be further processed (e.g., cold-rolled, annealed, tempered, polished, aluminized, coated, painted, varnished, trimmed, cut, punched, or slit, etc.) provided that it maintains the specified dimensions of sheet and strip following such processing. Products of either rectangular or non-rectangular cross-section where such cross-section is achieved subsequent to the rolling process, <i>i.e.</i>, products which have been “worked after rolling” (e.g., products which have been beveled or rounded at the edges) are included with the scope. Also included are subject SSSS further processed in a third-country, including but not limited to cold-rolling, annealing, tempering, polishing, aluminizing, coating, painting, varnishing, trimming, cutting, punching, and/or slitting, or any other processing that would not otherwise remove merchandise from scope if performed in country of manufacture of SSSS.</p> <p>Excluded from the scope are (1) sheet and strip that is not annealed or otherwise heat treated and not pickled or otherwise descaled; (2) plate (<i>i.e.</i>, flat-rolled with thickness of 4.75 mm or more); and (3) flat wire (<i>i.e.</i>, cold-rolled sections, with a mill edge, rectangular in shape, of a width of not more than 9.5 mm).</p> <p>** Included from the scope are SSSS completed in Vietnam using certain non-subject stainless steel flat-rolled inputs of Chinese origin. <u>See</u> 88 Fed. Reg. 18,522 (Mar. 20, 2023) (final scope ruling).</p>	7219.13.00.31 7219.13.00.51 7219.13.00.71 7219.13.00.81 7219.14.00.30 7219.14.00.65 7219.14.00.90 7219.23.00.30 7219.23.00.60 7219.24.00.30 7219.24.00.60 7219.32.00.05 7219.32.00.20 7219.32.00.25 7219.32.00.35 7219.32.00.36 7219.32.00.38 7219.32.00.42 7219.32.00.44 7219.32.00.45 7219.32.00.60 7219.33.00.05 7219.33.00.20 7219.33.00.25 7219.33.00.35 7219.33.00.36 7219.33.00.38 7219.33.00.42 7219.33.00.44 7219.33.00.45 7219.33.00.70 7219.33.00.80 7219.34.00.05 7219.34.00.20 7219.34.00.25 7219.34.00.30 7219.34.00.35 7219.34.00.50 7219.35.00.05 7219.35.00.15 7219.35.00.30 7219.35.00.35 7219.35.00.50 7219.90.00.10 7219.90.00.20 7219.90.00.25 7219.90.00.60 7219.90.00.80

Case Name	Date of Original Order	Current Country/Dumping Margins	Commerce Product Description	Tariff No. ¹
				7220.12.10.00 7220.12.50.00 7220.20.10.10 7220.20.10.15 7220.20.10.60 7220.20.10.80 7220.20.60.05 7220.20.60.10 7220.20.60.15 7220.20.60.60 7220.20.60.80 7220.20.70.05 7220.20.70.10 7220.20.70.15 7220.20.70.60 7220.20.70.80 7220.90.00.10 7220.90.00.15 7220.90.00.60 7220.90.00.80

Case Name	Date of Original Order	Current Country/Dumping Margins	Commerce Product Description	Tariff No. ¹
Stainless Steel Bar	02/21/95 (Brazil) Revoked Effective 8/9/17	India (A-533-810) Grand Foundry = 2.01% Mukand = 30.92% Bhansali = 0.00%	Articles of stainless steel in straight lengths that have been either hot-rolled, forged, turned, cold-drawn, cold-rolled or otherwise cold-finished, or ground, having a uniform solid cross section along their whole length in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles, hexagons, octagons, or other convex polygons. Stainless steel bar includes cold-finished stainless steel bars that are turned or ground in straight lengths, whether produced from hot-rolled bar or from straightened and cut rod or wire, and reinforcing bars that have indentations, ribs, grooves, or other deformations produced during the rolling process. Except as specified above, the term does not include stainless steel semi-finished products, cut length flat-rolled products (i.e., cut-length rolled products which if less than 4.75 mm in thickness have a width measuring at least 10 times the thickness, or if 4.75 mm or more in thickness having a width which exceeds 150 mm and measures at least twice the thickness), wire (i.e., cold-formed products in coils, of any uniform solid cross section along their whole length, which do not conform to the definition of flat-rolled products), and angles, shapes and sections.	7222.11.00.01 7222.11.00.06 7222.11.00.57 7222.11.00.59 7222.11.00.82 7222.11.00.84
	02/21/95 (India)	Venus/Precision/Hindustan = 0.0% Reinstated (eff. 4/20/18)		7222.19.00.01 7222.19.00.06 7222.19.00.52 7222.19.00.54
	02/21/95 (Japan) Revoked Effective 8/9/17	Sindia = 2.01% Chandan = 30.92% Jyoti = 21.02% Shah = 21.02%		7222.20.00.01 7222.20.00.06 7222.20.00.41 7222.20.00.43 7222.20.00.62 7222.20.00.64 7222.20.00.67 7222.20.00.69 7222.20.00.71 7222.20.00.73
	03/2/95 (Spain) Revoked Effective 8/9/17	Parekh = 21.02% Madhya = 12.45% Panchmahal = 19.54% Facor = 9.86%		7222.30.00.01 7222.30.00.12 7222.30.00.22 7222.30.00.24 7222.30.00.82 7222.30.00.84
		India Steel (formerly Isibars) = 2.01% Viraj = 30.92% (Reinstated eff. 4/20/18) Meltroll = 0.00% Akai Asian = 4.83% Atlas Stainless = 0.00% Snowdrop Trading = 2.01% Uday = 19.8% Ambica Steels = 0.00% D.H. Exports Pvt. = 10.21% Sunflag Iron & Steel = 6.08% Jindal Stainless (Hisar) Ltd = 92.10% Laxcon Steels Ltd = 0.00% All Others = 12.45%		

Case Name	Date of Original Order	Current Country/Dumping Margins	Commerce Product Description	Tariff No. ¹
Stainless Steel Bar	03/07/02 (AD) 03/08/02 (CVD) France (A-427-820), Germany (A-428-830) Italy (A-475-829), Korea (A-580-847), UK (A-412-822) All AD Orders Revoked Effective 3/7/07 Italy CVD Order (C-475-830) Revoked Effective 3/8/08		<p>Articles of stainless steel in straight lengths that have been either hot-rolled, forged, turned, cold-drawn, cold-rolled or otherwise cold-finished, or ground, having a uniform solid cross section along their whole length in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles, hexagons, octagons, or other convex polygons. Stainless steel bar includes cold-finished stainless steel bars that are turned or ground in straight lengths, whether produced from hot-rolled bar or from straightened and cut rod or wire, and reinforcing bars that have indentations, ribs, grooves, or other deformations produced during the rolling process.</p> <p>Except as specified above, the term does not include stainless steel semi-finished products, cut length flat-rolled products (i.e., cut length rolled products which if less than 4.75 mm in thickness have a width measuring at least 10 times the thickness, or if 4.75 mm or more in thickness having a width which exceeds 150 mm and measures at least twice the thickness), products that have been cut from stainless steel sheet, strip or plate, wire (i.e., cold-formed products in coils, of any uniform solid cross section along their whole length, which do not conform to the definition of flat-rolled products), and angles, shapes and sections), and angles, shapes and sections.</p> <p>Also excluded from the scope of the UK order is grade SAF 2507 stainless steel bar. SAF 2507 is cold worked and finished Super Duplex stainless steel bar material having either a round or hexagonal cross section, conforming to UNS S32750, having a minimum elevated tensile strength in excess of 140 KSI, and a PRE (pitting resistant equivalent) value of 42.5 minimum, supplied in straight bar lengths.</p>	7222.11.00.01 7222.11.00.06 7222.11.00.57 7222.11.00.59 7222.11.00.82 7222.11.00.84 7222.19.00.01 7222.19.00.06 7222.19.00.52 7222.19.00.54 7222.20.00.01 7222.20.00.06 7222.20.00.41 7222.20.00.43 7222.20.00.62 7222.20.00.64 7222.20.00.67 7222.20.00.69 7222.20.00.71 7222.20.00.73 7222.30.00.01 7222.30.00.12 7222.30.00.22 7222.30.00.24 7222.30.00.82 7222.30.00.84

Case Name	Date of Original Order	Current Country/Dumping Margins	Commerce Product Description	Tariff No. ¹
Grain-Oriented Electrical Steel	06/10/94 (Japan) 08/12/94 (Italy) Italy (A-475-811 & C-475-812) Japan (A-588-831) All Orders Revoked Effective 3/14/06		Grain oriented silicon electrical steel is a flat-rolled alloy steel product containing by weight at least 0.6% of silicon, not more than 0.08% of carbon, not more than 1% of aluminum, and no other element in an amount that would give the steel the characteristics of another alloy steel, of a thickness of no more than 0.560 mm, in coils of any width, or in straight lengths which are of a width measuring at least 10 times the thickness, as currently classified in the HTSUS.	7225.11.00.00 7226.11.10.00 7226.11.90.30 7226.11.90.60

Case Name	Date of Original Order	Current Country/Dumping Margins	Commerce Product Description	Tariff No. ¹
Non-Oriented Electrical Steel	12/31/14 China (A-570-996 / C-570-997) Germany (A-428-843) Japan (A-588-872) Korea (A-580-872) Sweden (A-401-809) Taiwan (A-583-851 / C-583-852)	<p>China: PRC-Wide Entity (AD) = 407.52% Baoshan Iron & Steel (CVD) = 158.88% All Others (CVD) = 158.88%</p> <p>Germany: CD Walzholz = 98.84% Thyssenkrupp Electrical Steel EBG GMBH = 98.84% All Others = 86.29%</p> <p>Japan: JFE Steel Corp = 204.79% Sumitomo Corp = 204.79% All Others = 135.59%</p> <p>Korea: POSCO/Daewoo Int'l Corp = 6.88% All Others = 6.88%</p> <p>Sweden: Surahammars Bruks AB = 126.72% All Others = 98.46%</p> <p>Taiwan: China Steel Corp. (AD) = 27.54% Leicong Industrial Co. (AD) = 52.23% All Others (AD) = 27.54%</p> <p>Leicong Industrial Co. (CVD) = 17.12% All Others (CVD) = 8.80%</p>	<p>NOES, which includes cold-rolled, flat-rolled, alloy steel products, whether or not in coils, regardless of width, having an actual thickness of 0.20 mm or more, in which the core loss is substantially equal in any direction of magnetization in the plane of the material. The term “substantially equal” means that the cross grain direction of core loss is no more than 1.5 times the straight grain direction (i.e., the rolling direction) of core loss. NOES has a magnetic permeability that does not exceed 1.65 Tesla when tested at a field of 800 A/ m (equivalent to 10 Oersteds) along (i.e., parallel to) the rolling direction of the sheet (i.e., B800 value). NOES contains by weight more than 1.00 percent of silicon but less than 3.5 percent of silicon, not more than 0.08 percent of carbon, and not more than 1.5 percent of aluminum. NOES has a surface oxide coating, to which an insulation coating may be applied.</p> <p>NOES is subject to these orders whether it is fully processed (i.e., fully annealed to develop final magnetic properties) or semi-processed (i.e., finished to final thickness and physical form but not fully annealed to develop final magnetic properties). Fully processed NOES is typically made to the requirements of ASTM specification A 677, Japanese Industrial Standards (JIS) specification C 2552, and/or International Electrotechnical Commission (IEC) specification 60404– 8–4. Semi-processed NOES is typically made to the requirements of ASTM specification A 683. However, the scope of these orders is not limited to merchandise meeting the ASTM, JIS, and IEC specifications noted immediately above.</p> <p>NOES is sometimes referred to as cold-rolled non-oriented (CRNO), nongrain oriented (NGO), non-oriented (NO), or cold-rolled non-grain oriented (CRNGO) electrical steel. These terms are interchangeable.</p> <p>Excluded from the scope of these orders are flat-rolled products not in coils that, prior to importation into the United States, have been cut to a shape and undergone all punching, coating, or other operations necessary for classification in Chapter 85 of the Harmonized Tariff Schedule of the United States (HTSUS) as a part (i.e., lamination) for use in a device such as a motor, generator, or transformer.</p>	7225.19.0000 7226.19.1000 7226.19.9000
Stainless Steel Angles	05/18/01 Japan (A-588-856)		Stainless steel angle includes hot-rolled, whether or not annealed or descaled, stainless steel products of equal leg length angled at 90 degrees that are not otherwise advanced. Specifically excluded	7222.40.30.25 7222.40.30.65

Case Name	Date of Original Order	Current Country/Dumping Margins	Commerce Product Description	Tariff No. ¹
	Korea (A-580-846) Spain (A-469-810) All Orders Revoked effective 5/18/06 (see 71 FR 34599) (6/15/06)		from the scope of these orders is stainless steel angle of unequal leg length.	

¹ Please note that the Commerce product description is dispositive while Customs' classification is used only as guidance. The tariff numbers reflect current HTS numbers as of January 1, 2023.