

Summary of Specialty Steel AD & CVD Orders In Effect

as of August 16, 2019

**David A. Hartquist
Laurence J. Lasoff
Grace W. Kim
Specialty Steel Industry of North America
(202) 342-8530**

Case Name	Date of Original Order	Current Country/Dumping Margins	Commerce Product Description	Tariff No. ¹
Stainless Steel Plate in Coils	05/11/99 (CVD)	Belgium (A-423-808) Aperam (formely ArcelorMittal Stainless) Belgium (AD) = 1.47% All Others (AD) = 8.54%	Articles of stainless steel plate; flat-rolled, 254 mm or over in width and 4.75 mm or more in thickness, in coils and annealed or otherwise heat treated and pickled or otherwise descaled. Subject plate may also be further processed (e.g., cold-rolled, polished, etc.) provided that it maintains the specified dimensions of plate following such processing. Excluded from the scope are (1) plate not in coils; (2) plate that is not annealed or otherwise heat treated and pickled or otherwise descaled; (3) sheet and strip; (4) flat bars; and (5) plate with an actual thickness of less than 4.75 mm, regardless of its nominal thickness.	7219.11.00.30
	05/21/99 (AD)			7219.11.00.60
Canada AD Order (A-122-830) Revoked Effective 5/21/04	Canada AD Order (A-122-830) Revoked Effective 5/21/04	South Africa (A-791-805 & C-791-806) Columbus (AD) = 37.77% All Others (AD) = 37.77% Columbus (CVD) = 3.95% All Others (CVD) = 3.95%		7219.12.00.06
				7219.12.00.21
Italy CVD Order (C-475-823) Revoked Effective 11/4/98	Italy CVD Order (C-475-823) Revoked Effective 11/4/98	Taiwan (A-583-830) YUSCO (AD) =8.02% YUSCO/Ta Chen (AD) = 10.2% All Others (AD) = 7.39%		7219.12.00.26
				7219.12.00.51
Belgium CVD Order (C-423-809) Revoked Effective 7/18/10	Belgium CVD Order (C-423-809) Revoked Effective 7/18/10			7219.12.00.56
				7219.12.00.66
Italy AD Order (A-475-822) Revoked Effective 7/18/10	Italy AD Order (A-475-822) Revoked Effective 7/18/10			7219.12.00.71
				7219.12.00.81
South Korea (A-580-831) Revoked Effective 11/16/11	South Korea (A-580-831) Revoked Effective 11/16/11			7219.31.00.10
				7219.90.00.10
Stainless Steel Wire Rod	09/15/98	Japan (A-588-843) Hitachi = 0% Daido Steel = 34.21% Nippon Steel = 21.18% Sanyo Special = 34.21% Sumitomo Electric = 34.21% All Others = 25.26%	Certain stainless steel wire rods are products that are hot-rolled or hot-rolled annealed and/or pickled and/or descaled rounds, squares, octagons, hexagons, or other shapes, in coils that may also be coated with a lubricant containing copper, lime or oxalate. SSWR is made of alloy steels containing, by weight, 1.2% or less of carbon and 10.5% or more of chromium, with or without other elements. These products are manufactured only by hot-rolling or hot-rolling, annealing, and/or pickling and/or descaling, are normally sold in coiled form, and are of solid cross-section. Two stainless steel	7219.90.00.20
	Italy CVD Order (C-475-821) Revoked Effective 9/15/03			7219.90.00.25
Sweden AD Order (A-469-807)	Sweden AD Order (A-469-807)			7219.90.00.60
				7219.90.00.80
				7220.11.00.00
				7220.20.10.10
				7220.20.10.15
				7220.20.10.60
				7220.20.10.80
				7220.20.60.05
				7220.20.60.10
				7220.20.60.15
				7220.20.60.60
				7220.20.60.80
				7220.90.00.10
				7220.90.00.15
				7220.90.00.60
				7220.90.00.80
				7221.00.00.05
				7221.00.00.17
				7221.00.00.18
				7221.00.00.30
				7221.00.00.45
				7221.00.00.75

	<p>Revoked Effective 4/23/07</p> <p>Italy AD Order (A-475-820) Revoked Effective June 17, 2015</p> <p>Spain AD Order (A-469-807) Revoked Effective June 17, 2015</p>	<p>Korea (A-580-829) Dongbang/Changwon/POSCO = 28.44% Sammi Steel = 28.44% All Others = 5.77%</p> <p>Taiwan (A-583-828) Walsin = 4.75% Yieh Hsing = Excluded All Others = 8.29%</p>	<p>grades, SF20T and K-M35FL, are excluded from the scope of the order.</p> <p>In addition for Sweden, the following proprietary grades of Kanthal AB are also excluded: Kanthal A-1, Kanthal AF, Kanthal A, Kanthal D, Kanthal DT, Alkrothal 14, Alkrothal 720, and Nikrothal 40.</p>	
<p>Stainless Steel Wire Rod</p>	<p>12/01/93 (India)</p> <p>01/28/94 (France)</p> <p>01/28/94 (Brazil)</p> <p>France AD Order (A-427-811) Revoked Effective 8/2/05</p> <p>Brazil AD Order (A-351-819) Revoked Effective 8/2/05</p>	<p>India (A-533-808) Mukand = 11.56% Sunstar Metals = 48.80% Grand Foundry = 48.80% Viraj = Revoked (eff. 12/1/03) Panchmahal = 48.80% India Steel (formerly Isibars) / Zenstar Impex / Shaktiman Steel = 30.10% Chandan Steel = 2.10% Sunflag Iron & Steel = 48.80% All Others = 48.80%</p>	<p>Certain stainless steel wire rods are products that are hot-rolled or hot-rolled annealed, and/or pickled rounds, squares, octagons, hexagons, or other shapes, in coils. Stainless steel wire rods are made of alloy steels containing, by weight, 1.2% or less of carbon and 10.5% or more of chromium, with or without other elements. These products are only manufactured by hot-rolling and are normally sold in coiled form, and are of solid cross-section.</p>	<p>7221.00.00.05</p> <p>7221.00.00.17</p> <p>7221.00.00.18</p> <p>7221.00.00.30</p> <p>7221.00.00.45</p> <p>7221.00.00.75</p>
<p>Stainless Steel Sheet & Strip in Coils</p>	<p>08/06/99(CVD Orders)</p> <p>07/27/99 (AD Orders)</p> <p>Italy CVD Order (C-475-825) Revoked Effective 11/17/98</p> <p>France CVD Order (C-427-815)</p>	<p>Japan (A-588-845) Kawasaki Steel / JFE (AD) = 57.87% Nippon Steel (AD) = 57.87% Nisshin Steel (AD) = 57.87% Nippon Yakin (AD) = 57.87% Nippon Metal (AD) = 57.87% Hitachi Metals (Hitachi Cable) (AD)= 0 % Nippon Kinzoku (AD) = 0.00% All Others (AD) = 40.18%</p> <p>South Korea (A-580-834 & C-580-835) POSCO (AD) = Excluded (eff 11/16/11)</p> <p>Hyundai Steel (AD) = Excluded</p>	<p>Articles of stainless steel sheet and strip; flat-rolled product in coils that is greater than 9.5 mm in width and less than 4.75 mm in thickness and annealed or otherwise heat treated and pickled or otherwise descaled. Subject sheet and strip may also be further processed (cold-rolled, polished, aluminized, coated, etc.) provided that it maintains the specified dimensions of sheet and strip following such processing. Excluded from the scope are (1) sheet and strip that is cut to length; (2) sheet and strip that is not annealed or otherwise heat treated and pickled or otherwise descaled; (3) plate; (4) flat wire; and (5) razor blade steel. Also excluded are flapper valve steel, suspension foil, steel foil for automotive catalytic converters, permanent magnet iron-chromium cobalt alloy stainless strip (e.g., Arnokrome III), certain electrical resistance alloy steel, (e.g., Gilphy 36), certain martensitic precipitation-hardenable</p>	<p>7219.13.00.31</p> <p>7219.13.00.51</p> <p>7219.13.00.71</p> <p>7219.13.00.81</p> <p>7219.14.00.30</p> <p>7219.14.00.65</p> <p>7219.14.00.90</p> <p>7219.32.00.05</p> <p>7219.32.00.20</p> <p>7219.32.00.25</p> <p>7219.32.00.35</p> <p>7219.32.00.36</p> <p>7219.32.00.38</p> <p>7219.32.00.42</p>

Revoked Effective 11/17/98.	Taihan Electric (AD) = 58.79% Samwon = 7.88% Dai Yang (AD) = 3.77% Boorim Corp. = 58.79% Dae Kyung Corp. = 58.79% Dine Trading Co. = 58.79% Dosko Co. = 58.79% All Others (AD) (including Hyundai BNG) = 19.60%	stainless steel (e.g., Durphynox), and specialty steels used in industrial blades and surgical and medical instruments (e.g., carpet knives, GIN4 Mo., GIN5, and GIN6).	7219.32.00.44 7219.33.00.05 7219.33.00.20 7219.33.00.25
French AD Order (A-427-814) Revoked Effective 7/27/04	POSCO (CVD) = Excluded Hyundai Steel/BNG (CVD) = 0.54% Dai Yang (CVD) = 0.03% (de minimis) Taihan Electric (CVD) = 7.0% All Others (CVD) = 1.68%		7219.33.00.35 7219.33.00.36 7219.33.00.38 7219.33.00.42 7219.33.00.44 7219.34.00.05 7219.34.00.20 7219.34.00.25 7219.34.00.30 7219.34.00.35 7219.35.00.05 7219.35.00.15 7219.35.00.30 7219.35.00.35 7219.90.00.10 7219.90.00.20 7219.90.00.25 7219.90.00.60 7219.90.00.80 7220.12.10.00 7220.12.50.00 7220.20.10.10 7220.20.10.15 7220.20.10.60
UK AD Order (A-412-818) Revoked Effective 7/27/04			
Germany AD Order (A-428-825) Revoked Effective 7/25/10			
Italy AD Order (A-475-824) Revoked Effective 7/25/10			
Mexico AD Order (A-201-822) Revoked Effective 7/25/10			

Stainless Steel Sheet & Strip in Coils <i>(...continued)</i>		Taiwan (A-583-831) Chain Chon Industrial Co. = 4.30% Chang Mien = Excluded Chia Far = 0.00% Chien Shing Stainless Steel = 4.30% Dah Shi Metal Industrial Co. = 4.30% Goang Jau Shing = 4.30% KNS Enterprise Co., Ltd = 4.30% Lih Chan Steel Co. = 4.30% Maytun International Corp. = 4.30% PFP Taiwan = 4.30% Shih Yuan Stainless Steel = 4.30% Ta Chen Stainless Pipe = 4.30% Tang Eng Iron Works = 4.30% Tibest International Inc. = 4.30% Tung Mung = Excluded Tung Mung/Ta Chen = 4.30% Waterson Corp. = 4.30% Yieh Loong Enterprise (aka Chung Hung Steel Co.) = 4.30% Yieh Mau Corp. = 4.30% Yieh Trading Corp. = 4.30% Yieh Trading Corp./Yieh Corp = 21.10% YUSCO = 4.30% YUSCO/Ta Chen = 36.44% All Others = 12.61%		7220.20.10.80 7220.20.60.05 7220.20.60.10 7220.20.60.15 7220.20.60.60 7220.20.60.80 7220.20.70.05 7220.20.70.10 7220.20.70.15 7220.20.70.60 7220.20.70.80 7220.20.80.00 7220.20.90.30 7220.20.90.60 7220.90.00.10 7220.90.00.15 7220.90.00.60 7220.90.00.80
Stainless Steel Sheet & Strip	4/3/17	China (A-570-042 and C-570-043): Taihyuan Ridetaixing (AD) = 63.86% Zhangjiagang Pohang (AD) = 63.86% PRC-Wide (AD) = 76.64% Shanxi Taigang (CVD) = 75.60% Ningbo Baoxin (CVD) = 190.71% Baosteel Stainless (CVD) = 190.71% Baoshan Iron & Steel (CVD) = 190.71% Baosteel Desheng (CVD) = 190.71% Baosteel Co. (CVD) = 190.71% Bayi Iron & Steel (CVD) = 190.71% Ningbo Iron & Steel (CVD) = 190.71% Shaoguan Iron & Steel (CVD)=190.71% Guangdong Shaoguan (CVD)=190.71% Zhanjiang Iron & Steel (CVD)=190.71%	Stainless steel sheet and strip ("SSSS"), whether in coils or straight lengths; flat-rolled product with a width that is greater than 9.5 mm and with a thickness of 0.3048 mm and greater but less than 4.75 mm and annealed or otherwise heat treated, pickled or otherwise descaled. Subject SSSS may also be further processed (e.g., cold-rolled, annealed, tempered, polished, aluminized, coated, painted, varnished, trimmed, cut, punched, or slit, etc.) provided that it maintains the specified dimensions of sheet and strip following such processing. Products of either rectangular or non-rectangular cross-section where such cross-section is achieved subsequent to the rolling process, i.e., products which have been "worked after rolling" (e.g., products which have been beveled or rounded at the edges) are included with the scope. Also included are subject SSSS further processed in a third-country, including but not limited to cold-rolling, annealing, tempering, polishing, aluminizing, coating, painting, varnishing, trimming, cutting, punching, and/or slitting, or	7219.13.00.31 7219.13.00.51 7219.13.00.71 7219.13.00.81 7219.14.00.30 7219.14.00.65 7219.14.00.90 7219.23.00.30 7219.23.00.60 7219.24.00.30 7219.24.00.60 7219.32.00.05 7219.32.00.20 7219.32.00.25 7219.32.00.35 7219.32.00.36 7219.32.00.38 7219.32.00.42

		<p>Daming International / Tianjin Taigang Daming Metal Product (CVD)=190.71% All Others (CVD) = 75.60%</p>	<p>any other processing that would not otherwise remove merchandise from scope if performed in country of manufacture of SSSS.</p> <p>Excluded from the scope are (1) sheet and strip that is not annealed or otherwise heat treated and not pickled or otherwise descaled; (2) plate (<i>i.e.</i>, flat-rolled with thickness of 4.75 mm or more); and (3) flat wire (<i>i.e.</i>, cold-rolled sections, with a mill edge, rectangular in shape, of a width of not more than 9.5 mm).</p>	<p>7219.32.00.44 7219.32.00.45 7219.32.00.60 7219.33.00.05 7219.33.00.20 7219.33.00.25 7219.33.00.35 7219.33.00.36 7219.33.00.38 7219.33.00.42 7219.33.00.44 7219.33.00.45 7219.33.00.70 7219.33.00.80 7219.34.00.05 7219.34.00.20 7219.34.00.25 7219.34.00.30 7219.34.00.35 7219.34.00.50 7219.35.00.05 7219.35.00.15 7219.35.00.30 7219.35.00.35 7219.35.00.50 7219.90.00.10 7219.90.00.20 7219.90.00.25 7219.90.00.60 7219.90.00.80 7220.12.10.00 7220.12.50.00 7220.20.10.10 7220.20.10.15 7220.20.10.60 7220.20.10.80 7220.20.60.05 7220.20.60.10 7220.20.60.15 7220.20.60.60 7220.20.60.80 7220.20.70.05 7220.20.70.10 7220.20.70.15 7220.20.70.60 7220.20.70.80 7220.90.00.10 7220.90.00.15 7220.90.00.60</p>
--	--	--	--	--

				7220.90.00.80
Stainless Steel Bar	<p>02/21/95 (Brazil) Revoked Effective 8/9/17</p> <p>02/21/95 (India)</p> <p>02/21/95 (Japan) Revoked Effective 8/9/17</p> <p>03/2/95 (Spain) Revoked Effective 8/9/17</p>	<p>India (A-533-810) Grand Foundry = 2.01% Mukand = 30.92% Bhansali = 0.00% Venus/Precision/Hindustan Inox = 30.92% Reinstated (eff. 4/20/18) Sindia = 2.01% Chandan = 30.92% Jyoti = 21.02% Shah = 21.02% Parekh = 21.02% Madhya = 12.45% Panchmahal = 19.54% Facor = 9.86% India Steel (formerly Isibars) = 2.01% Viraj = 30.92% (Reinstated eff. 4/20/18) Meltroll = 0.00% Akai Asian = 4.83% Atlas Stainless = 0.00% Snowdrop Trading = 2.01% Uday = 19.8% Ambica Steels = 0.00% D.H. Exports Pvt. = 10.21% Sunflag Iron & Steel = 6.08% All Others = 12.45%</p>	<p>Articles of stainless steel in straight lengths that have been either hot-rolled, forged, turned, cold-drawn, cold-rolled or otherwise cold-finished, or ground, having a uniform solid cross section along their whole length in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles, hexagons, octagons, or other convex polygons. Stainless steel bar includes cold-finished stainless steel bars that are turned or ground in straight lengths, whether produced from hot-rolled bar or from straightened and cut rod or wire, and reinforcing bars that have indentations, ribs, grooves, or other deformations produced during the rolling process.</p> <p>Except as specified above, the term does not include stainless steel semi-finished products, cut length flat-rolled products (i.e., cut-length rolled products which if less than 4.75 mm in thickness have a width measuring at least 10 times the thickness, or if 4.75 mm or more in thickness having a width which exceeds 150 mm and measures at least twice the thickness), wire (i.e., cold-formed products in coils, of any uniform solid cross section along their whole length, which do not conform to the definition of flat-rolled products), and angles, shapes and sections.</p> <p>Also excluded (for Japan only) are: (1) K-M35FL steel bar; and (2) certain valve/stem stainless steel round bar of 21-2N modified grade, having a diameter of 5.7 millimeters (with a tolerance of 0.025 millimeters), in length no greater than 15 meters, having the following chemical composition: 0.50-0.60% carbon; 7.50 – 9.50% manganese; max of 0.25% silicon; max of 0.04% phosphorus; max of 0.03% sulfur, 20.0-22.0% chromium; 2.0-3.0% nickel; 0.20-0.40% nitrogen; minimum of 0.85% of the combined content of carbon and nitrogen, and a balance minimum of iron, having a maximum core hardness of 385 HB and a maximum surface hardness of 425 HB, with a minimum hardness of 270 HB for annealed material.</p> <p>Also excluded (for Japan only): (1) are stainless steel welding electrode strips manufactured in accordance with American Welding Society ("AWS") specification ANSI/AWS A5.9-93; (2) certain stainless steel used for razor blades, medical surgical blades, and industrial blades sold under proprietary names such as DSRIK7, DSRIK8, and DSRIK9; (3) certain stainless steel lithographic sheet; and (4) nickel clad stainless steel sheet and strip.</p> <p>Also excluded (for Japan only) effective Feb. 1, 2010 are SSBar product under Grade 304 and two types of SSBar products under</p>	<p>7222.11.00.01 7222.11.00.06 7222.11.00.57 7222.11.00.59 7222.11.00.82 7222.11.00.84 7222.19.00.01 7222.19.00.06 7222.19.00.52 7222.19.00.54 7222.20.00.01 7222.20.00.06 7222.20.00.41 7222.20.00.43 7222.20.00.62 7222.20.00.64 7222.20.00.67 7222.20.00.69 7222.20.00.71 7222.20.00.73 7222.30.00.01 7222.30.00.12 7222.30.00.22 7222.30.00.24 7222.30.00.82 7222.30.00.84</p>

			<p>Grade 440C. (1) The Grade 304 product meets the following descriptions: round cross-section, cold finished, chrome plated (plating thickness 10 microns or greater), hardness of plating a minimum 750 HV on the Vickers Scale, maximum roundness deviation of 0.020 mm (based on circularity tolerance described in JIS B 0021 (1984)), in actual (measured) lengths from 2000 mm to 3005 mm, in nominal outside diameters ranging from 6 mm to 30 mm (diameter tolerance for any size from minus 0.010 mm to minus 0.053 mm). Tolerance can be defined as the specified permissible deviation from a specified nominal dimension; for example if the nominal outside diameter of the product entering is 6 mm, then the actual measured sizes should fall within 5.947 mm to 5.990 mm; (2) The first Grade 440C product meets the following descriptions: round cross-section, cold finished, heat treated through induction hardening, minimum Rockwell hardness of 56 Hardness of 56 HRC, maximum roundness deviation of 0.007 mm (based on circularity tolerance described in JIS B 0021 (1984)), in actual (measured) lengths from 500 mm to 3005 mm, in nominal outside diameters ranging from 3 mm to 38.10 mm (diameter tolerance for any size from 0.00 mm to minus 0.150 mm). Tolerance can be defined as the specified permissible deviation from a specified nominal dimension; for example if the nominal outside diameter of the product entering is 3 mm, then the actual measured sizes should fall within 2.850 mm to 3.000 mm; (3) The second Grade 440C product meets the following descriptions: round cross-section, cold finished, chrome plated (plating thickness 5 microns or greater), heat treated through induction hardening, minimum Rockwell Hardness of 56 HRC, maximum roundness deviation of 0.007 mm (based on circularity tolerance described in JIS B 0021 (1984)), in actual (measured) lengths from 2000 mm to 3005 mm, in nominal outside diameters ranging from 6 mm to 30 mm (diameter tolerance for any size from minus 0.004 mm to minus 0.020 mm). Tolerance can be defined as the specified permissible deviation from a specified nominal dimension; for example if the nominal outside diameter of the product entering is 6 mm, then the actual measured sizes should fall within 5.980 mm to 5.996 mm.</p>	
Stainless Steel Bar	03/07/02 (AD) 03/08/02 (CVD) France (A-427-820), Germany (A-428-830)		Articles of stainless steel in straight lengths that have been either hot-rolled, forged, turned, cold-drawn, cold-rolled or otherwise cold-finished, or ground, having a uniform solid cross section along their whole length in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles, hexagons, octagons, or other convex polygons. Stainless steel bar includes cold-finished stainless steel bars that are turned or ground in straight lengths, whether produced from hot-rolled bar or from straightened and cut	7222.11.00.01 7222.11.00.06 7222.11.00.57 7222.11.00.59 7222.11.00.82 7222.11.00.84 7222.19.00.01 7222.19.00.06

	<p>Italy (A-475-829), Korea (A-580-847), UK (A-412-822)</p> <p>All AD Orders Revoked Effective 3/7/07</p> <p>Italy CVD Order (C-475-830) Revoked Effective 3/8/08</p>		<p>rod or wire, and reinforcing bars that have indentations, ribs, grooves, or other deformations produced during the rolling process.</p> <p>Except as specified above, the term does not include stainless steel semi-finished products, cut length flat-rolled products (i.e., cut length rolled products which if less than 4.75 mm in thickness have a width measuring at least 10 times the thickness, or if 4.75 mm or more in thickness having a width which exceeds 150 mm and measures at least twice the thickness), products that have been cut from stainless steel sheet, strip or plate, wire (i.e., cold-formed products in coils, of any uniform solid cross section along their whole length, which do not conform to the definition of flat-rolled products), and angles, shapes and sections), and angles, shapes and sections.</p> <p>Also excluded from the scope of the UK order is grade SAF 2507 stainless steel bar. SAF 2507 is cold worked and finished Super Duplex stainless steel bar material having either a round or hexagonal cross section, conforming to UNS S32750, having a minimum elevated tensile strength in excess of 140 KSI, and a PRE (pitting resistant equivalent) value of 42.5 minimum, supplied in straight bar lengths.</p>	<p>7222.19.00.52 7222.19.00.54 7222.20.00.01 7222.20.00.06 7222.20.00.41 7222.20.00.43 7222.20.00.62 7222.20.00.64 7222.20.00.67 7222.20.00.69 7222.20.00.71 7222.20.00.73 7222.30.00.01 7222.30.00.12 7222.30.00.22 7222.30.00.24 7222.30.00.82 7222.30.00.84</p>
<p>Grain-Oriented Electrical Steel</p>	<p>06/10/94 (Japan) 08/12/94 (Italy)</p> <p>Italy (A-475-811 & C-475-812) Japan (A-588-831)</p> <p>All Orders Revoked Effective 3/14/06</p>		<p>Grain oriented silicon electrical steel is a flat-rolled alloy steel product containing by weight at least 0.6% of silicon, not more than 0.08% of carbon, not more than 1% of aluminum, and no other element in an amount that would give the steel the characteristics of another alloy steel, of a thickness of no more than 0.560 mm, in coils of any width, or in straight lengths which are of a width measuring at least 10 times the thickness, as currently classified in the HTSUS.</p>	<p>7225.11.00.00 7226.11.10.00 7226.11.90.30 7226.11.90.60</p>
<p>Stainless Steel Angles</p>	<p>05/18/01</p> <p>Japan (A-588-856) Korea (A-580-846) Spain (A-469-810)</p> <p>All Orders Revoked effective 5/18/06 (see 71 FR 34599) (6/15/06)</p>		<p>Stainless steel angle includes hot-rolled, whether or not annealed or descaled, stainless steel products of equal leg length angled at 90 degrees that are not otherwise advanced. Specifically excluded from the scope of these orders is stainless steel angle of unequal leg length.</p>	<p>7222.40.30.25 7222.40.30.65</p>

¹ Please note that the Commerce product description is dispositive while Customs' classification is used only as guidance. The tariff numbers reflect current HTS numbers as of January 2019.

¹